

12 EUROPEAN PATENT APPLICATION

21 Application number: 89303701.0

51 Int. Cl.⁴: G 07 F 7/10

22 Date of filing: 13.04.89

30 Priority: 15.04.88 JP 93120/88

43 Date of publication of application:
 18.10.89 Bulletin 89/42

64 Designated Contracting States: DE FR GB

71 Applicant: KABUSHIKI KAISHA TOSHIBA
 72, Horikawa-cho Saiwai-ku
 Kawasaki-shi Kanagawa-ken 210 (JP)

72 Inventor: Naruse, Ichiro Intellectual Property Div.
 Toshiba Corporation 1-1-1, Shibaura
 Minato-ku Tokyo (JP)

Matsuoka, Hideo Intellectual Property Div.
 Toshiba Corporation 1-1-1, Shibaura
 Minato-ku Tokyo (JP)

74 Representative: BATCHELLOR, KIRK & EYLES
 2 Pear Tree Court Farringdon Road
 London EC1R 0DS (GB)

54 Portable electronic device.

57 A portable electronic device comprising an integrated circuit card (10), which incorporates a data memory (32) and CPU (30) and is externally provided with a keyboard (18) and a liquid crystal display (16). The data memory (32) stores a variety of data which respectively indicates the maximum amount allowed for executing transactions during an effective term, the effective term for transactions, the maximum amount for transactions that can be renewed each effective term, and the effective term between renewals. In addition, the IC card (10) also incorporates a clock circuit (36) which generates data indicating the current date. When the card holder initiates a transaction using the IC card (10), the CPU (30) compares the data related to the current date with the effective term for transactions. If the CPU (30) identifies from the result of comparison that the present date is outside the effective term for transactions, the CPU (30) then automatically renews the effective term for transactions and updates maximum amount allowed for transactions by applying data indicating the effective term applicable to renewal and the maximum amount for transactions to be renewed.




FIG. 2

Description

PORTABLE ELECTRONIC DEVICE

BACKGROUND OF THE INVENTION

The present invention relates to a portable electronic apparatus such as an integrated circuit (IC) card which may be used as a credit card in conjunction with a shopping system, for example.

Recently, an IC card incorporating an IC chip containing an erasable non-volatile memory and a central processing unit (CPU) controlling this memory has been developed as a new portable data memory medium. The IC card allows a variety of data to be input and output in conjunction with external sources by means of the internal CPU which accesses the memory.

Conventionally, the IC card is used in a shopping system in a similar manner as a credit card. The limit of the total amount of charges that may be applied to the card in a month (credit limit) is stored in the IC card. When making a purchase, an operator inserts the IC card into terminal equipment and inputs the charge amount by operating a keyboard of the terminal equipment. The terminal equipment generates a new credit limit by subtracting the input amount of the transaction from the credit limit stored in the memory of the IC card and stores the new credit limit in the memory.

The credit limit stored in the memory of the IC card is renewed every predetermined term, for example the first day of each month. Conventionally, the credit limit is renewed by using the IC card with specific terminal equipment owned by the IC-card issuer. In other words, while using any conventional IC card for purchasing merchandise on credit, only the IC-card issuer can renew the credit limit. As a result, each IC-card holder must seek out an appropriate terminal for renewing his credit limit to continue transactions each term. This is bothersome and inconvenient to all those who hold IC cards.

As an alternative, a study is underway to explore the possibility of renewing the credit limit by means of on-line communication with a host computer. Nevertheless, if this idea is adopted, all IC card holders will be obliged to communicate with the host computer via terminal equipment whenever renewing the credit limit, thus incurring a heavy burden to them in bearing the cost of on-line communication facilities and the communication itself.

In addition, recently, a battery-powered IC card has also been developed, which incorporates a battery and is provided with a keyboard and display and operates without being connected to terminal equipment.

European Patent Publication No. 0167044 (published August 1, 1986) discloses an IC card which is provided with a battery, keyboard and display. In addition, this IC card incorporates a clock and identifies the expiration of the card itself, not only to provide a time after which a new card is required (as is conventional) but also to provide a time after

which the battery in the card may fail. Nevertheless, this publication does not disclose means for renewing the credit limit for transactions with the IC card.

SUMMARY OF THE INVENTION

It is the object of the present invention to provide a portable electronic device which automatically and internally renews the maximum amount allowed for transactions during a transaction period up to a renewal date.

Portable electronic medium according to the present invention comprises first memory means for storing term data which relates to a renewal date of the medium. A second memory means stores maximum amount data indicating a maximum monetary amount allowed for transactions up to the renewal date. A third memory means stores renewable data indicating a monetary amount for setting a new maximum amount data in the second memory means at the renewal date. Calendar means generates data relating to a present date. Comparison means compares the data generated by the calendar means with the term data in the first memory means. Renewal means renews the maximum amount data in the second memory means in accordance with the renewable data in the third memory means when the comparison means indicates that the data generated by the calendar means exceeds the term data in the first memory means.

BRIEF DESCRIPTION OF THE DRAWINGS

An embodiment of this invention will now be described by way of example and with reference to the accompanying drawings, in which:

FIGURE 1 is a plan view of an IC card as a portable electronic medium according to the present invention;

FIGURE 2 is a block diagram of the electric circuits of the IC card;

FIGURE 3 is a memory configuration of the IC card;

FIGURE 4 is a flowchart for executing transaction processes; and

FIGURE 5 is a chart indicating internally varying conditions of maximum amount allowed for transactions on credit using the IC card.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

FIGURE 1 shows the front of an IC card which may be used as a credit card and which represents an example of the portable electronic medium related to the present invention. This IC card is commonly usable either for an ON-LINE system (system operation is executed with the IC card being

connected to terminal equipment) or an OFF-LINE system (the IC card executes various operations itself). For example, the IC card allows transactions to be executed in conjunction with a plurality of transacting accounts. It includes a clock function which displays data related to date and time, and a calculating function which can execute at least the four basic arithmetic operations. Details of such an IC card is disclosed in U.S. Patent No. 4,766,294.

Referring now to FIGURE 1. Card body 10 is composed of a thinly-molded rectangular plastic card. Contact 14 is placed on a specific position on the surface of card body 10 and is electrically connected to an integrated circuit (IC) 12 built in the card body 10. Contact 14 is placed to electrically communicate with terminal equipment (not shown). In addition, the surface of card body 10 is provided with a liquid crystal display (LCD) 16, which displays input/output data and data related to date and time, and keyboard 18 (input means) used for entry of various data.

The keyboard 18 is composed of a plurality of account keys 20, digit keys 22, and a variety of functional keys. The card body 10 also incorporates crystal oscillator 14 and power supply battery 26.

FIGURE 2 is a simplified block diagram of the circuits within the IC card 10. A central processing unit (CPU) 30, executing overall controlling operations, is connected to the contact 14, the liquid crystal display 16 and the keyboard 18. The CPU 30 is further connected to data memory 32, which stores a variety of data, program memory 34, which stores operation programs of the CPU 30, and clock circuit 36 which generates data related to date and time. CPU 30, data memory 32, program memory 34, and clock circuit 36, are installed in a single IC chip 12 (or in a plurality of IC chips). The integrated circuit 12 receives power from the battery 26. Clock circuit 36 generates data in conjunction with date, month, year, and time, by counting reference clock signals output from the crystal oscillator 24. Data memory 32 is composed of an erasable non-volatile memory such as an EEPROM, for example. As shown in FIGURE 3, for example, the data memory 32 is composed of regions 42 (1) - 42 (4) each storing the maximum amount allowed for transactions in each effective term, regions 44 (1) - 44 (4) each storing the effective term of transactions in which the amounts of transactions are totaled and cannot exceed a maximum, regions 46 (1) - 46 (4) each storing the maximum amount to be renewed (renewable data) for each effective term, regions 48 (1) - 48 (4) each storing the effective period by which the effective term of transactions can be extended (renewable term data), region 50 which stores an address, name and a personal identification number for the card holder, and region 52 which stores data related to transactions. These data are stored in the data memory 32 for each transacting account (M1) through (M4).

Referring now to the flowchart shown in FIGURE 4, processes for executing transactions in conjunction with the renewal of the maximum amount and effective term allowed for a transaction are described below. First, a card holder inputs his

personal identification number (PIN) by operating the digit keys 22 of keyboard 18 to identify himself (ST 1). CPU 30 then checks to see if the PIN input by the card holder correctly matches the PIN stored in the region 50 of data memory 32 (ST 2). If the PINs do not match, CPU 30 causes liquid crystal display 16 to display a message that a transaction is prohibited (ST 3). This completes the trading process.

Conversely, if the PINs entered by the card holder and stored in the data memory 32 were consistent, then CPU 30 causes liquid crystal display 16 to display a message for guiding the card holder to select any of the transacting accounts M1 through M4 (ST 4), where the card holder selects any of those accounts by operating the account key 20 of keyboard 18. Next, CPU 30 causes comparison means to compare the effective term, in conjunction with the selected account stored in the region 44 (n) of data memory 32, with the present date generated by clock circuit 36. Based on this result, CPU 30 identifies whether any time still remains in the effective term for transactions (ST 5). If the effective term for transactions were identified to have time remaining, no process is executed for renewing the effective term for transactions and the maximum amount allowed for executing transactions during the effective term. Conversely, if CPU 30 identifies that the term allowed for transactions has already run out, CPU 30 executes a process for renewing the effective term for transactions (ST 6). Specifically, CPU 30 generates a new effective term for transactions by adding the renewal term (for example, one month) of the selected account stored in the region 48 (n) to the effective term for transactions stored in the region 44 (n) of data memory 32. The new effective term for transactions is stored in the region 44 (n) of the data memory 32. Next, CPU 30 causes comparison means to compare the maximum amount remaining for transactions during the effective term and related to the selected account stored in the region 42 (n) of data memory 32 with the maximum amount to be renewed for this account stored in region 46 (n) of data memory 32 (ST 7). CPU 30 checks to see if the maximum amount remaining for transactions in the effective term is less than the maximum amount to be renewed, or not. If the maximum amount allowed for transaction equals or exceeds the maximum amount to be renewed, no renewal is executed for the maximum amount allowed for transactions. Conversely, if the maximum amount allowed for transactions is less than the maximum amount to be renewed, CPU 30 converts the maximum amount allowed for transactions to the new maximum amount (ST 8). Specifically, CPU 30 reads the maximum amount to be renewed from the region 46 (n) of data memory 32, and stores the maximum amount to be renewed into the region 42 (n) of data memory.

After completing all the processes needed for renewing the maximum amount allowed for transactions and the effective term for transactions as mentioned above, (of if the transaction term were identified to be still effective and the maximum amount allowed for transactions to be more than

that is to be renewed) CPU 30 then causes liquid crystal display 16 to display a message for guiding the card holder to input the amount of a transaction (ST 9). The card holder inputs the amount of the transaction by operating the digit keys 22 of keyboard 18. The CPU 30 identifies whether the input amount for the transaction is less than the maximum amount allowed for transactions stored in region 42 (n) of data memory 32 (ST 10). If CPU 30 identifies that the input amount of the transaction is more than the maximum amount allowed for transactions, the CPU 30 causes liquid crystal display 16 to display a message that the transaction is prohibited (ST 11). This completes the trading process.

If CPU 30 identifies that the input amount of the transaction is less than the maximum amount allowed for a transaction, the CPU 30 generates a new maximum amount allowed for a transaction by subtracting the amount of the transaction from the maximum amount allowed for a transaction in the region 42 (n) of data memory 32. CPU stores the new maximum amount allowed for a transaction in the region 42 (n) of data memory (ST 12). This completes the trading process.

FIGURE 5 illustrates the internally varying conditions of the maximum amount allowed for transactions on credit using the IC card. This chart specifies that the maximum amount allowed for transactions is renewable on the first day of a month. Circles shown in the chart denote the date of implementing the renewal. Actually, as shown in FIGURE 5, the renewal process is executed on the initial trading day C after the renewal date is past. Marks A, B, D, F and G shown in FIGURE 5 denote those cases in which the maximum amount allowed for transactions is reduced as a result of executing normal transactions. Mark H denotes the effective term of renewal, such as a month, for example. Mark E denotes the case in which the card holder has executed transactions beyond the maximum allowable amount during the term. In this case, CPU 30 causes liquid crystal display 16 to display a message that the transaction is prohibited before eventually terminating the trading process. Mark E' also shows a particular case in which the card issuer has received a certain amount of monetary replenishment from the card holder by more than the maximum renewable amount. Note that any description on the method of collecting monetary replenishment from the card holder is not provided, since it is not a part of this invention.

Mark F shown in FIGURE 5 denotes the case in which no renewal process is executed because the maximum amount allowed for transactions is still in excess of the maximum amount provided for the renewal.

The examples cited above cause processes to be executed for renewing the maximum amount allowed for transactions in each effective term by writing the amount of region 46 (n) into region 42 (n) of data memory 32. Alternatively, the renewal process can also be executed by storing the sum of the amount in the region 42 (n) and the amount in the region 46 (n) to constitute a new maximum amount allowed for executed transactions.

In the manner mentioned above, the portable electronic medium executes a renewal process as required when the card holder selects any of those transacting accounts by allowing data memory to preliminarily store the maximum amount allowed for transactions during each effective term effective term for transactions, maximum amount allowed for renewal, and effective term for the renewal.

The portable electronic medium compares the effective term for transactions stored in the data memory with data related to the present date generated by clock circuit. If the value of data related to the present date were in excess of the value related to the effective term for transactions, the portable electronic medium executes a renewal process.

The maximum amount allowed for transactions in any effective term stored in data memory is converted into the new maximum amount allowed for transactions during the next effective term, and finally, the portable electronic medium rewrites the maximum amount allowed for transactions during the effective term stored in the data memory.

Consequently, it is possible for the portable electronic medium related to the invention to automatically renew the maximum amount allowed for transactions during any effective term on the basis of an optional term inside of the IC card. As a result, the portable electronic medium dispenses with procedure and processes conventionally necessary for renewing the maximum amount allowed for implementing transactions by the card holder, and yet, the portable electronic medium eliminates the needs for communicating with the host computer, thus effectively providing practical convenience of use.

The above preferred embodiment causes the portable electronic medium to first identify whether the maximum amount allowed for transactions during an effective term exceeds the maximum amount designated for renewal, or not, before eventually renewing the maximum amount allowed for transactions during the effective term and the effective term for transactions itself. However, it is not always necessary for this preferred embodiment to identify whether the maximum amount allowed for transaction exceeds the maximum amount designated for the renewal, or not.

Although only a single preferred embodiment of this invention has been described in detail above, those skilled in the art will readily appreciate that many modifications are possible in the preferred embodiment without departure from the novel teachings and advantages of this invention. Accordingly, all such modifications are intended to be included in this invention as defined by the following claims.

Claims

1. A portable electronic device for controlling monetary transactions comprising, first memory means (44) for storing predetermined term data, and timer means (36) for

generating data relating to elapsed time, characterized by:

second memory means (42) for storing maximum amount data indicating a monetary limit allowed for executing transactions within the predetermined term,

third memory means (46) for storing renewable data indicating a monetary amount for setting new maximum amount data in the second memory means (42),

comparison means for comparing the data generated by the timer means (36) with the term data in the first memory means (44), and

renewal means for renewing the maximum amount data in the second memory means (42) in accordance with the renewable data in the third memory means (46) when the comparison means indicates that the elapsed time data generated by the timer means (36) exceeds the term data in the first memory means (44).

2. A portable electronic device according to claim 1, characterized in that the renewal means includes a monetary amount comparing means for comparing the maximum amount data in the second memory means (42) with the renewable data in the third memory (46), and the renewal means renews the maximum amount data only when the monetary amount comparing means indicates that the maximum amount data is less than the renewable data.

3. A portable electronic device according to claim 1, characterized in that the renewal means stores the renewable data read from the third memory means (46) into the second memory means (42) so that the renewable data indicates newly-provided maximum amount data.

4. A portable electronic device according to claim 1, characterized in that the renewal means generates newly-provided maximum amount data by adding the renewable data in the third memory means (46) to the maximum amount data in the second memory means (42).

5. A portable electronic device according to claim 1 characterized in that the second memory means (42) stores a plurality of maximum amount data each for one of a plurality of accounts, and the third memory means (46) stores a plurality of renewable data each corresponding to one of the maximum amount data, respectively.

6. A portable electronic device according to claim 1, characterized by further comprising, input means (18) for entering monetary amount data indicating transaction data associated with the medium, and subtracting means for subtracting the monetary amount data entered by the input means (18) from the maximum amount data in the second memory means (42).

7. A portable electronic device according to claim 1, characterized in that the first memory means (44) stores term data relating to an effective date, the timer means (36) includes calendar means for generating data relating to a present date, and the comparison means

compares the effective date with the present date.

8. A portable electronic device according to claim 1, characterized by further comprising: fourth memory means (48) for storing renewable term data which relates to a next effective time, and

another renewal means for renewing the term data in the first memory means (44) in accordance with the renewable term data in the fourth memory means (48) when the comparison means indicates that the data generated by the timer means (36) exceeds the term data in the first memory means (44).

9. A portable electronic device according to claim 8, characterized in that the first memory means (44) stores term data relating to an effective date, the time means (36) includes calendar means for generating data representing a present date, and the comparison means compares the effective date with the present date.

10. A portable electronic device according to claim 9, characterized in that the fourth memory means (48) includes the number of days in a term as the renewable term data, and another renewal means generates newly-provided term data by adding the number of days to the term data in the first memory means (44).

11. A portable electronic device according to claim 8, characterized in that the first memory means (44) stores a plurality of term data, each for one of a plurality of accounts, and the fourth memory means (48) stores a plurality of renewable term data, each for one of a plurality of accounts, and the fourth memory means (48) stores a plurality of renewable term data each corresponding to one of the term data, respectively.

5

10

15

20

25

30

35

40

45

50

55

60

65

5




FIG. 1




FIG. 2

	42 (1)	42 (2)	42 (3)	
	ACCOUNT M 1	ACCOUNT M 2	ACCOUNT M 3	ACCOUNT M 4
	MAXIMUM AMOUNT 1	MAXIMUM AMOUNT 2	MAXIMUM AMOUNT 3	MAXIMUM AMOUNT 4
44 (1)	EFFECTIVE TERM 1	EFFECTIVE TERM 2	EFFECTIVE TERM 3	EFFECTIVE TERM 4
46 (1)	RENEWABLE AMOUNT 1	RENEWABLE AMOUNT 2	RENEWABLE AMOUNT 3	RENEWABLE AMOUNT 4
48 (1)	RENEWABLE TERM 1	RENEWABLE TERM 2	RENEWABLE TERM 3	RENEWABLE TERM 4
	DATA OF CARD HOLDER (ADDRESS, NAME, PIN)			
	DATA OF TRANSACTION			

FIG. 3




FIG. 5




FIG. 4

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number:


0 337 794 A3

(12)

EUROPEAN PATENT APPLICATION(21) Application number: **89303701.0**(51) Int. Cl.⁵: **G07F 7/10**(22) Date of filing: **13.04.89**(30) Priority: **15.04.88 JP 93120/88**(43) Date of publication of application:
18.10.89 Bulletin 89/42(84) Designated Contracting States:
DE FR GB(88) Date of deferred publication of the search report:
23.01.91 Bulletin 91/04(71) Applicant: **KABUSHIKI KAISHA TOSHIBA**
72, Horikawa-cho Saiwai-ku
Kawasaki-shi Kanagawa-ken 210(JP)(72) Inventor: **Naruse, Ichiro Intellectual Property**
Div.**Toshiba Corporation 1-1-1, Shibaura**
Minato-ku Tokyo(JP)Inventor: **Matsuoka, Hideo Intellectual**
Property Div.**Toshiba Corporation 1-1-1, Shibaura**
Minato-ku Tokyo(JP)(74) Representative: **BATCHELLOR, KIRK & CO.CO.**
2 Pear Tree Court Farringdon Road
London EC1R 0DS(GB)(54) **Portable electronic device.**

(57) A portable electronic device comprising an integrated circuit card (10), which incorporates a data memory (32) and CPU (30) and is externally provided with a keyboard (18) and a liquid crystal display (16). The data memory (32) stores a variety of data which respectively indicates the maximum amount allowed for executing transactions during an effective term, the effective term for transactions, the maximum amount for transactions that can be renewed each effective term, and the effective term between renewals. In addition, the IC card (10) also incorporates a clock circuit (36) which generates

data indicating the current date. When the card holder initiates a transaction using the IC card (10), the CPU (30) compares the data related to the current date with the effective term for transactions. If the CPU (30) identifies from the result of comparison that the present date is outside the effective term for transactions, the CPU (30) then automatically renews the effective term for transactions and updates maximum amount allowed for transactions by applying data indicating the effective term applicable to renewal and the maximum amount for transactions to be renewed.

**FIG. 2****EP 0 337 794 A3**



European
Patent Office

EUROPEAN SEARCH REPORT

Application Number

EP 89 30 3701

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
A	EP-A-0 234 954 (PAVLOV) * page 24, line 6 - page 25, line 19 * * page 45, line 17 - page 52, line 16; figures 15, 29-35 *	1-3,5-8, 11	G 07 F 7/10
A	WO-A-8 603 040 (PAVLOV) * page 26, lines 1 - 27 * * page 28, lines 15 - 30; figures 8, 11 *	1,6,7	
A	EP-A-0 162 221 (OMRON TATEISI ELECTRONICS) * page 24, line 3 - page 25, line 25; figures 10-13 *	1,7,8	
			TECHNICAL FIELDS SEARCHED (Int. Cl.5)
			G 07 F G 06 K

The present search report has been drawn up for all claims

Place of search

The Hague

Date of completion of search

22 November 90

Examiner

HERBELET J.C.

CATEGORY OF CITED DOCUMENTS

X: particularly relevant if taken alone
Y: particularly relevant if combined with another document of the same category
A: technological background
O: non-written disclosure
P: intermediate document
T: theory or principle underlying the invention

E: earlier patent document, but published on, or after the filing date
D: document cited in the application
L: document cited for other reasons
&: member of the same patent family, corresponding document